



CERTIFICATE OF ANALYSIS

PRODUCED: JUL 10, 2026

SAMPLE: XÜM MAGIC TABS PERSONAL PACK (INFUSED EDIBLE - TABLET) // CLIENT: ADVANCED MYCOLOGY



BATCH NO.: BERRIES BEST BY
03/2028 XUM 260315
MATRIX: INFUSED EDIBLE - TABLET
SAMPLE ID: TRP-260624-003
RECEIVED ON: JUN 24, 2026
SERVING SIZE: 0.3904 G
PACKAGE SIZE: 3.9039 G

COA SUMMARY

AVERAGE TOTAL CONCENTRATION:	5.149 mg/g
AVERAGE TOTAL AMOUNT PER PACKAGE:	20.102 mg
AVERAGE TOTAL AMOUNT PER SERVING:	2.01 mg

TOTALS INCLUDE ALKALOIDS



SYNTHETIC TRYPTAMINE PANEL

ANALYTE	mg/pkg	mg/srv	mg/g	LOD / LOQ (mg/g)
4-HYDROXY METHYLETHYLTRYPTAMINE (4-HO-MET)	20.102	2.010	5.149	0.00262 / 0.01308
4-ACETOXY-DET	ND	ND	ND	0.00090 / 0.00901
PSILACETIN (4-ACO-DMT)	ND	ND	ND	0.00092 / 0.00916
4-ACO-MET	ND	ND	ND	0.00092 / 0.00922
4-ACETOXY-MIPT	ND	ND	ND	0.00091 / 0.00914
4-HYDROXY-DET	ND	ND	ND	0.00088 / 0.00879
4-HYDROXY ETHYLPROPYLTRYPTAMINE (4-HO-EPT)	ND	ND	ND	0.00088 / 0.00877
4-HYDROXY MIPT	ND	ND	ND	0.00260 / 0.01301
4-PROPANOYLOXY-DMT	ND	ND	ND	0.00092 / 0.00915
4-PROPANOYLOXY MET	ND	ND	ND	0.00260 / 0.01301
5-MAPB	ND	ND	ND	0.00260 / 0.01301
DIISOPROPYLTRYPTAMINE (DIPT)	ND	ND	ND	0.00094 / 0.00941
DIPROPYLTRYPTAMINE (DPT)	ND	ND	ND	0.00094 / 0.00939
ETHYLPROPYLTRYPTAMINE (EPT)	ND	ND	ND	0.00088 / 0.00884
METHYLETHYLTRYPTAMINE (MET)	ND	ND	ND	0.00089 / 0.00887
DIMETHYLTRYPTAMINE (N,N-DMT)	ND	ND	ND	0.00089 / 0.00889



This certificate of analysis is intended for personal use products that do not violate state or local law. Statements of conformity to specifications are made in this report without taking measurement of uncertainty into account. Tryptomics is not licensed by the State of Colorado.
NT = not tested. ND = not detected. LOD = Limit of detection. LOQ = Limit of quantitation

Sample ID: TRP-260624-003


Caleb King, MS
Chief Science Officer,
Tryptomics
Jul 10, 2026

ANALYTE	RESULT 1				RESULT 2		RESULT 3	
	Serving Mass = 0.3842 Grams				Serving Mass = 0.3857 Grams		Serving Mass = 0.377 Grams	
	%RSD	MG/SRV (%RSD)	mg/g	mg/srv	mg/g	mg/srv	mg/g	mg/srv
5-MAPB	-	-	ND	ND	ND	ND	ND	ND
N,N-DMT	-	-	ND	ND	ND	ND	ND	ND
4-ACETOXY DMT	-	-	ND	ND	ND	ND	ND	ND
4-ACETOXY-DET	-	-	ND	ND	ND	ND	ND	ND
4-ACETOXY MET	-	-	ND	ND	ND	ND	ND	ND
4-HYDROXY-DET	-	-	ND	ND	ND	ND	ND	ND
4-ACETOXY MIPT	-	-	ND	ND	ND	ND	ND	ND
4-PROPANOYLOXY DMT	-	-	ND	ND	ND	ND	ND	ND
DIPROPYLTRYPTAMINE (DPT)	-	-	ND	ND	ND	ND	ND	ND
ETHYLPROPYLTRYPTAMINE (EPT)	-	-	ND	ND	ND	ND	ND	ND
METHYLETHYLTRYPTAMINE (MET)	-	-	ND	ND	ND	ND	ND	ND
DIISOPROPYLTRYPTAMINE (DIPT)	-	-	ND	ND	ND	ND	ND	ND
4-HYDROXY ETHYLPROPYLTRYPTAMINE (4-HO-EPT)	-	-	ND	ND	ND	ND	ND	ND
4-HYDROXY METHYLETHYLTRYPTAMINE (4-HO-MET)	0.532	1.199	5.118	1.966	5.168	1.993	5.162	1.946



This certificate of analysis is intended for personal use products that do not violate state or local law. Statements of conformity to specifications are made in this report without taking measurement of uncertainty into account. Tryptomics is not licensed by the State of Colorado.
NT = not tested. ND = not detected. LOD = Limit of detection. LOQ = Limit of quantitation

Sample ID: TRP-260624-003


Caleb King, MS
Chief Science Officer,
Tryptomics
Jul 10, 2026